


### PUMP PERFORMANCE (capacity in GPM)

3 HP High Head Model						
Model	PSI	Feet	5'	10'	15'	20'
30SPH1	20	46.2	138	136	130	*
	30	69.3	120	114	108	101
30SPH3	40	92.4	91	88	80	69
	50	115.5	57	47	32	20


\* Operation not recommended at this point.



### PUMP PERFORMANCE (capacity in GPM)

5 HP High Head Model							
Model	PSI	Feet	5'	10'	15'	20'	25'
50SPH1	20	46.2	182	176	*	*	*
	30	69.3	168	164	158	*	*
50SPH3	40	92.4	147	144	139	134	*
	50	115.5	120	118	114	108	96
	60	138.6	88	86	78	64	55


\* Operation not recommended at this point.



### PUMP PERFORMANCE (capacity in GPM)

3 HP Medium Head Model							
Model	PSI	Feet	5'	10'	15'	20'	25'
30SPM1	20	46.2	163	155	147	138	114
	30	69.3	127	117	107	95	84
30SPM3	40	92.4	77	47	*	*	*


\* Operation not recommended at this point.




### PUMP PERFORMANCE (capacity in GPM)

5 HP Medium Head Model							
Model	PSI	Feet	5'	10'	15'	20'	25'
50SPM1	20	46.2	218	211	202	167	*
	30	69.3	187	182	172	164	*
50SPM3	40	92.4	155	148	138	133	111
	50	115.5	119	107	96	90	65

\* Operation not recommended at this point.



## DIMENSIONS AND WEIGHTS



Pump Model	HP	PH	Suction	Disch.	A	AB	B	C MAX.	D	E	F	ØH	L	ØP	X	Y	Wt. (lbs.)							
30SPH1	3	1	2	1½	8.63	6.87	6.50	12.56	4.50	3.75	2.75	0.41	12.78	7.88	3.58	6.50	135							
30SPH3		3			6.50	5.61	5.94		3.50	2.75	2.50	0.34	12.16	6.62			115							
30SPM1		1	2½	2	6.87	6.50	13.80		4.50	3.75	2.75	0.41	12.78	7.88			4.62	7.44	135					
30SPM3		3			5.73	6.62								115										
50SPH1	1	5	3	2	8.63	6.50		13.80						4.50	3.75	2.75			0.41	12.78	7.88	4.62	7.44	155
50SPH3	3																							5.85
50SPM1	1						3		2½	6.87	155													
50SPM3	3									135														

NOTES: Dimensions are approximate, not for construction purposes.

**xylem**  
Let's Solve Water

Xylem, Inc.  
2881 East Bayard Street Ext., Suite A  
Seneca Falls, NY 13148  
Phone: (800) 453-6777  
Fax: (888) 322-5877  
[www.xylem.com/brands/gouldswatertechnology](http://www.xylem.com/brands/gouldswatertechnology)

Goulds is a registered trademark of Goulds Pumps, Inc. and is used under license.  
PrimeLine is a trademark of Xylem Inc. or one of its subsidiaries.  
© 2012 Xylem Inc. BSPMSPH March 2012